

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	101	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and (connection session link access\$3 quer\$3 transaction) near4 (allow\$4 limit maximum quota prescribe\$1 restrict\$3) near4 (number amount quantity) near4 (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:13
L3	94	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and (connection session link access\$3 quer\$3 transaction) near4 (allow\$4 limit maximum quota prescribe\$1) near4 (number amount quantity) near4 (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:13
L4	7	I2 not L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:15
S3	2	"6430594".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:36
S4	8	(quiesc\$4 de\$1activate (temporar\$3 adj (in\$1activ\$3 suspend\$3 disabl\$3)) with activit\$3) same ((prevent\$3 forbid\$3 disallow\$3 prohibit\$3 keep\$3) with new) same ((permit\$4 allow\$3 continu\$3 let\$4) with current\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:15
S7	5	("5842226", "6003061", "6021508", "6085216", "6223206").pn.	USPAT	OR	ON	2005/01/24 14:06
S9	11	((prevent\$3 forbid\$3 disallow\$3 prohibit\$3 keep\$3) near3 new) with ((permit\$4 allow\$3 continu\$3 let\$4) near3 current\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:01

S11	23	((prevent\$3 forbid\$3 disallow\$3 prohibit\$3 keep\$3) near\$3 new\$2) with ((permit\$4 allow\$3 continu\$3 let\$4) near\$3 (current\$2 already (in adj progress) present\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 09:53
S12	12	S11 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 09:13
S16	22	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and ((prevent\$3 forbid\$3 disallow\$3 prohibit\$3 keep\$3) with new) same ((permit\$4 allow\$3 continu\$3 let\$4) with current\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 13:32
S18	27	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and ((prevent\$3 forbid\$3 disallow\$3 prohibit\$3 keep\$3) with new) same ((permit\$4 allow\$3 continu\$3 let\$4) with (current\$2 already (in adj progress) present\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 11:10
S19	5	S18 not S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 16:27
S20	273	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and quiesc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 13:39
S25	7	("4742447", "5125086", "5148365", "5235508", "5842226", "6021508", "6085216").pn.	USPAT	OR	OFF	2005/01/25 11:20
S26	2	"6430594".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 11:42
S29	33	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and ((maximum limit) with (permit\$4 allow\$3 active) with (connection session link)) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 15:07

S34	19	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and ((maximum limit) with (permit\$4 allow\$3 active) with (connection session link access resource)) same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 15:29
S35	2	"6,771,661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 15:44
S47	3	("6092163", "6438704", "6,515, 963").pn.	USPAT	OR	OFF	2005/01/28 14:32
S48	2	("6457008", "6341303").pn.	USPAT	OR	ON	2005/01/31 10:42
S55	73	(user or requester or customer or client) with (resource with (adjust\$4 or chang\$5 or configur\$4 or set\$4) with (quota or threshold or limit)) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 13:11
S56	30	(user or requester or customer or client) with (resource with (adjust\$4 or chang\$5 or configur\$4 or set\$4) with (quota or threshold or limit)) and priorit\$4 and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 12:23
S57	46	(quiesc\$4 de\$1activate (temporar\$3 adj (in\$1activ\$3 suspend\$3 disabl\$3)) with activit\$3) and (user or requester or customer or client) with ((resource or disk) with (quota or threshold or limit)) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 11:42
S58	45	S57 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:55

S59	49	(user or requester or customer or client) with (resource with (adjust\$4 or chang\$5 or configur\$4 or set\$4) with (quota or limit)) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 13:14
S60	23	S59 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 13:15
S61	7	((service or job) adj class\$2) with ((permit\$4 or permission or allow\$4 or grant\$2 or admit\$4) with (den\$3 or refus\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:02
S63	35	((service or job or requester or consumer) near (class\$2 or level)) with ((permit\$4 or permission or allow\$4 or grant\$2 or admit\$4) with (den\$3 or refus\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:10
S65	28	S63 not S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:10
S67	27	(user or requester or customer or client) with ((policy or admission) adj control) with (resource or bandwith or cpu or memor\$3) and class and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:52
S70	10	("4,283,711" "5,325,525" "6,263,298" "6,366,915" "6,463,457" "6,496,848" "6,550,042" "6,581,055" "6,601,035" "6,714,960").pn.	USPAT	OR	ON	2005/08/23 13:55
S71	4	"20020019879" "20030028852" "20030200252" "20040039935"	US-PGPUB; USPAT	OR	ON	2005/08/23 13:55
S72	21	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and ((maximum limit) with (permit\$4 allow\$4 active running open) with (connection session link access)) same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 15:32

S73	20	("707"/\$.ccls. 718/104.ccls. 709/226.ccls.) and ((maximum limit) with (permit\$4 allow\$3 active) with (connection session link access resource)) same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:35
S74	3	S72 not S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 15:32
S77	72	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and ((maximum limit quota prescribe\$1) near3 (connection session link access)) same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:49
S78	18	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and ((maximum limit quota prescribe\$1) near3 (connection session link access)) with (permit\$4 allow\$3 active) same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:52
S79	6	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and ((maximum limit quota prescribe\$1) near3 (connection session link access)) with (permit\$4 allow\$3 active) with number same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:52

S80	13	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and ((maximum limit quota prescribe\$1) with (connection session link access)) with (permit\$4 allow\$3 active) with number same (den\$3 prevent\$3 disapprov\$3 refus\$3 reject\$3) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:05
S81	57	((maximum limit quota prescribe\$1) with (connection session link access)) with (permit\$4 allow\$3 active) with number with (each per) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:05
S84	91	(connection session link access) with number with (each per) near (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:10
S85	16	(connection session link access) near3 number with (each per) near (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:20
S87	31	(connection session link access\$3 quer\$3 transaction) near3 (number amount quantity) with (each per) near (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:37
S88	15	S87 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:36

S89	12	(connection session link access\$3 quer\$3 transaction) with (number amount quantity) with (allow\$4 limit maximum quota prescribe\$1) with (each per) near (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:40
S92	18	(connection session link access\$3 quer\$3 transaction) near3 (allow\$4 limit maximum quota prescribe\$1) with (each per) near (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:44
S95	110	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and (connection session link access\$3 quer\$3 transaction) near4 (allow\$4 limit maximum quota prescribe\$1) near4 (number amount quantity) with (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:48
S96	104	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and (connection session link access\$3 quer\$3 transaction) near4 (allow\$4 limit maximum quota prescribe\$1) near3 (number amount quantity) with (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:47
S97	94	(707/1,9-10.ccls. 718/104.ccls. 709/225-229.ccls.) and (connection session link access\$3 quer\$3 transaction) near4 (allow\$4 limit maximum quota prescribe\$1) near4 (number amount quantity) near4 (client user consumer request?r) and ((@ad<"19980828") or (@prad<"19980828") or (@rlad<"19980828"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 10:12